



Pivot Arm 20" Adjustable
Wheel Lock Control

INSTRUCTIONS

Introduction

Thank you for choosing Impact.

The Impact Pivot Arm 20" with Adjustable Wheel Lock Control is a strong mounting arm with an elbow pivot joint that securely attaches cameras, lighting gear, or brackets while being attached to any baby receiver adapter or super clamp. The adjustable wheel lock control varies the tension of the internal locking mechanism so small adjustments can be made without moving other parts of the unit. Also, by twisting the adjustable wheel lock control fully, it locks the pivot arms and baby pins in place. Two female threaded baby pins enable the connection to a variety of devices with one having a 1/4"-20 thread and the other a 3/8" thread while both offering the ability to attach the arms to super clamps or other mounting gear with baby 5/8" receivers. Whether in a space where conventional tripods cannot be used or needing a unique angle, this 360° pivot arm with ball and socket positioning baby pins is a great addition to your grip kit.

Overview



1 Adjustable wheel lock control

Internally locks pivot arms and baby pins in position. If you need to adjust the position of the pivot arms or baby pins for optimal placement, loosen the adjustable wheel lock control just enough to make micro adjustments. When you have the correct position of the unit and your gear, tighten by twisting the adjustable wheel lock control and lock the pivot arm and baby pins in place.

2 Rotary pivot joint

Rotates 360° for all-around positioning.



3 Threaded Baby Pins

Each baby pin is affixed to a ball and socket, allowing for flexible movement and accurate positioning of the gear attached.

Connect many types of lighting and camera equipment with 1/4"-20 or 3/8" female threads.

Ideal for use with super clamps.

Flat-sided baby pins help to prevent the pivot arms from rotating in any baby receiver.

Specifications

Construction:	Aluminum alloy
Extended length:	20" (50.8 cm)
Folded length:	10" (25.4 cm)
Weight:	2 lb. (.91 kg)
Maximum load capacity:	8 lb. (3.6 kg)
Attachment:	5/8" (16 mm) stud with 1/4"-20 female thread 5/8" (16 mm) stud with 3/8" female thread

Precautions ⚠

- Please read and follow these instructions, and keep this manual in a safe place.
- Handle the unit with care.
- Clean the unit with a soft, dry cloth.
- Keep this unit away from children.
- Make sure everything is secure before proceeding.
- Make sure the item is intact and that there are no missing parts.
- Do not exceed the maximum load capacity.
- All photos are for illustrative purposes only.

One-Year Limited Warranty

This IMPACT product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Impact Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Impact along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service,
visit www.impactstudiolighting.com
or call Customer Service at 212-594-2353.



Product warranty provided by the Gradus Group.
www.gradusgroup.com

IMPACT is a registered trademark of the Gradus Group.
© 2015 Gradus Group LLC. All Rights Reserved.