

impact

Lighting Equipment & Accessories

Double Flash Bracket with Two Adjustable Shoes



Thank you for choosing Impact.

The Impact LB-230 Double Flash Bracket with Two Adjustable Shoes features four shoe mounts that allow you to mount multiple flashes or LED panels on a single bracket. You can fire the flashes at full power for greater light output or, for faster recycle times, fire them at half power. You can also use the bracket to mount three small LED panels for higher-powered constant lighting for your still or video shoots.

This versatile bracket features a male shoe for mounting on your camera's shoe mount, a 1/4"-20 female thread for mounting on a grip or a stand, and a center umbrella socket to ensure that your flashes are always centered in the umbrella. The bracket tilts $\pm 135^\circ$ in 22.5° increments, and the two shoe mounts on the side rotate 360° , so you can arrange your lights in a variety of configurations for optimal coverage.

The Impact LB-230 Double Flash Bracket with Two Adjustable Shoes is perfect for photographers and videographers who need a lightweight and portable solution for a high-powered light source.

Warnings

- Please read and follow these instructions, and keep this manual in a safe place.
- Do not attempt to disassemble or repair the equipment—doing so will void the warranty, and Impact Studio Lighting will not be responsible for any damage.
- Handle the unit with care.
- Clean the unit with a soft dry cloth.
- Keep this unit away from children.
- Use only parts provided by the manufacturer.
- Make sure everything is secure before proceeding.
- Make sure the item is intact and that there are no missing parts.

Specifications

Four female cold shoe mounts (two fixed, two adjustable)

One male shoe mount

Thread size: 1/4"-20 female

Umbrella socket: 8 mm

Weight: 4.8 oz. (137 g)

Recommended Accessories

- Impact 9101880 Umbrella Bracket with Adjustable Shoe
- Impact CA-101 Rapid Adapter with 1/4"-20 Male Thread
- Impact CT40M Turtle Base C-Stand, Silver
- Impact KCP-200 2.5" Grip Head, Silver
- Impact KCP-240 40" Extension Arm, Silver
- Impact KCP-700B26 Super Clamp with 1/4"-20 Stud
- Impact LS-3S Two-Section Backlight Stand
- Impact LS-6B Light Stand, Black 6' (1.8 m)
- Impact LS-CS40M C-Stand with Sliding Leg 40"
- Impact Powersync16D Radio Slave System
- Impact Powersync16DCR Additional DC Receiver
- Impact R1142 5-in-1 Collapsible Circular Reflector Disc
- Impact SB-5B (5 lb.), SB-15B (15 lb.), SB-25B (25 lb.), and SB-35B (35 lb.) Saddle Sandbags, available in Black or Orange
- Impact UBW30 Umbrella, White 30"

Limited One-Year Warranty

Impact provides a limited warranty that this product is free from defects in materials and workmanship to the original purchaser under normal use for a period of one (1) year from the original purchase date or thirty (30) days after replacement whichever occurs later. Our responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at its option, of any product which fails during normal consumer use. To obtain warranty coverage during the Warranty Period, contact your place of purchase ("Seller") to obtain a return merchandise authorization ("RMA") number, and return to Seller the defective product along with proof of purchase and the RMA number. This warranty does not extend to damage or failure which results from misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, IMPACT MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights which vary from state to state.

© Copyright 2012 Gradus Group

To see all of our lighting equipment,
please visit our website.

The logo for Impact features the word "impact" in a lowercase, serif font. A yellow, teardrop-shaped graphic element is positioned behind the letters "p" and "a", extending from the top right towards the bottom left, partially overlapping the text.

impact

www.impactstudiolighting.com