



Pivot Arm 20" with Locking Lever

# INSTRUCTIONS

# Introduction


Thank you for choosing Impact.

The Impact Pivot Arm 20" with Locking Lever is a strong mounting arm with an elbow pivot joint that securely attaches cameras, lighting gear, or brackets while being attached to any baby receiver adapters or super clamps. With its single stroke quick-action control lever, the pivot arm can quickly and securely be locked into place. Whether needing a unique angle or in a space where conventional tripods cannot be used, this 360° pivot arm with ball and socket positioning baby pins is a great addition to your grip kit.

The intra-locking lever easily freezes the position of the pivot arm, after you've determined the ideal connections and placements. You can use the Impact Pivot Arm 20" with locking lever in the studio or on location to put your equipment just about anywhere.

There is further control of the pivot locking mechanism and rotatable baby pins with the lever set screws for micro adjustment of the tension throughout the unit. Either of the two female threaded baby pins enable the connection to a variety of devices with 1/4"-20 and 3/8" threads while offering the ability to attach the arms to super clamps or other mounting gear with baby 5/8" receivers.

# Overview



## 1 Intra-locking Lever

*Internally locks pivot arms and baby pins in position with quick-locking mechanism.*

## 2 Rotary pivot joint

*Rotates 360° for all-around positioning.*

## 3 Lever set screws

*Adjust tension of the intra-locking lever when used with included Allen keys.*

## Warning!

Do not force lever in opposite direction.



#### 4 Threaded Baby Pins

*Each baby pin is affixed to a ball and socket, allowing for flexible movement and accurate positioning of the gear attached.*

*Connect many types of lighting and camera equipment with 1/4"-20 or 3/8" female threads.*

*Ideal for use with super clamps.*

*Flat-sided baby pins help to prevent the pivot arms from rotating in any baby receiver.*

## Specifications

Construction:	Aluminum alloy
Extended length:	20" (50.8 cm)
Folded length:	10" (25.4 cm)
Pivot arm diameter:	.78" (20 mm)
Weight:	2 lb. (.91 kg)
Maximum load capacity:	8 lb. (3.6 kg)
Attachment:	5/8" (16 mm) stud with 1/4"-20 female thread 5/8" (16 mm) stud with 3/8" female thread
Allen keys:	1 × 6 mm 1 × 5 mm

## Precautions

- Please read and follow these instructions, and keep this manual in a safe place.
- Handle the unit with care.
- Do not force locking lever in opposite direction.
- Clean the unit with a soft, dry cloth.
- Keep this unit away from children.
- Make sure everything is secure before proceeding.
- Make sure the item is intact and that there are no missing parts.
- Do not exceed the maximum load capacity.
- All photos are for illustrative purposes only.

## One-Year Limited Warranty

This IMPACT product is warranted to the original purchaser to be free from defects in materials and workmanship under normal consumer use for a period of one (1) year from the original purchase date or thirty (30) days after replacement, whichever occurs later. The warranty provider's responsibility with respect to this limited warranty shall be limited solely to repair or replacement, at the provider's discretion, of any product that fails during normal use of this product in its intended manner and in its intended environment. Inoperability of the product or part(s) shall be determined by the warranty provider. If the product has been discontinued, the warranty provider reserves the right to replace it with a model of equivalent quality and function.

This warranty does not cover damage or defect caused by misuse, neglect, accident, alteration, abuse, improper installation or maintenance. EXCEPT AS PROVIDED HEREIN, THE WARRANTY PROVIDER MAKES NEITHER ANY EXPRESS WARRANTIES NOR ANY IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. This warranty provides you with specific legal rights, and you may also have additional rights that vary from state to state.

To obtain warranty coverage, contact the Impact Customer Service Department to obtain a return merchandise authorization ("RMA") number, and return the defective product to Impact along with the RMA number and proof of purchase. Shipment of the defective product is at the purchaser's own risk and expense.

For more information or to arrange service,  
visit [www.impactstudiolighting.com](http://www.impactstudiolighting.com)  
or call Customer Service at 212-594-2353.



Product warranty provided by the Gradus Group.  
[www.gradusgroup.com](http://www.gradusgroup.com)

IMPACT is a registered trademark of the Gradus Group.  
© 2015 Gradus Group LLC. All Rights Reserved.